Purchasing Department 116 West Jefferson Street Thomasville, Georgia 31799 229-225-4100



November 14, 2024 INVITATION TO BID Public Works Warehouse Supplies Tool Bid

You are invited to submit a sealed bid for providing the following **Public Works Warehouse Supplies** for the Thomas County Board of Commissioners. Attached are the general conditions, standard instructions, bid specification, and bid form. Variation from the given specifications should be noted on the bid form with an explanation of said variation(s) attached. Bids are to be marked with bidder's name and address and labeled: "**Bid for Public Works Warehouse Supplies**" and mailed or delivered to the following address no later than 2:00 p.m.; local time, Friday, December 6, 2022.

Deadline for receiving bids:	12/06/2024 (date)	2:00 p.m. (time)
Bid opening:	12/06/2024 (date)	2:00 p.m. (time)
Committee Review:	1/02/2025 (date)	8:30 a.m. (time)
Tentative Award Date:	1/09/2025 (date)	4:00 p.m. (time)

Address all bids to:

THOMAS COUNTY BOARD OF COMMISSIONERS **SEALED - Bid for "Public Works Warehouse Supplies"**

ATTN: PURCHASING DEPARTMENT P.O. Box 920 116 West Jefferson Street, Room 220 Thomasville, Georgia 31799

Any inquiries concerning this bid should be made to Nisha Thurman, Purchasing Agent, at the above location or at (229) 225-4100. <u>Nisha.Thurman@thomascountyga.gov</u>.

PLEASE CALL OR E-MAIL CONFIRMATION OF RECEIPT OF THIS INVITATION TO BID.

GENERAL CONDITIONS

No bids received after said time or at any place other than the time and place stated in the notice will be considered.

WITHDRAWAL OF BID:

A bidder may withdraw his bid before the expiration of the time during which bids may be submitted without prejudice to the bidder, by submitting a written request of withdrawal to the Thomas County Board of Commissioners, Purchasing Department.

REJECTION OF BID:

Thomas County may reject any and all bids, and must reject a bid of any party who has been delinquent or unfaithful in any formal contract with Thomas County. Also, the right is reserved to waive any irregularities or informalities in any bid in the bidding procedure. Thomas County will be the sole judge which bid is best, and in ascertaining this, will take into consideration the business integrity, financial resources, facilities for performing the work, and experience in similar operation of the various bidders.

STATEMENT OF EXPERIENCE AND QUALIFICATIONS:

The bidder may be required, upon request, to prove to the satisfaction of Thomas County that he/she has the skill and experience and the necessary facilities and ample financial resources to perform the contract(s) in a satisfactory manner and within the required time. If the available evidence of competency of any bidder is not satisfactory, the bid of such bidder may be rejected, the successful bidder is required to comply with and abide by all applicable federal and state laws in effect at the time the contract is awarded.

NON-COLLUSION AFFIDAVIT:

By submitting a bid, the bidder represents and warrants that such bid is genuine and not fraudulent or collusive or made in the interest or in behalf of any person not therein named, and that the bidder has not directly or indirectly induced or solicited any other bidder to put in a fraudulent bid, or any other person, firm or corporation to refrain from bidding and that the bidder has not in any manner sought by collusion to secure to that bidder any advantage over any other bidder.

INTEREST OF:

By submitting a bid, the bidder represents and warrants that neither a commissioner nor Chairman of Thomas County has, in any manner, an interest, directly or indirectly in the bid or in the contract that may be made under it, or in any expected profits to arise therefrom.

DOCUMENTS DEEMED PART OF THE CONTRACT:

The notice, invitation to bidders, general conditions, and instructions for bidders, special conditions, specifications, bid and addenda, if any, will be deemed part of the contract.

STANDARD INSTRUCTIONS TO BIDDERS

- 1. The written specifications contained in this bid will not be changed or superseded except by written addendum from Thomas County. Failure to comply with the written specifications for this bid may result in disqualification by Thomas County.
- 2. All goods and materials will be F.O.B. Thomas County Board of Commissioners Public Works, Thomasville, Georgia, in Thomas County and no freight, delivery or postage charges will be paid by Thomas County unless such charges are included in the bid price.
- 3. All bids must be <u>sealed</u>, <u>received</u> and <u>in-hand</u> at bid due date and time. Each bidder assumes the responsibility for having his/her bid received at the designated time and place without consideration, regardless of the postmark. Thomas County accepts no responsibility for mail delivery.
- 4. Each bid form submitted must include the name of the business, mailing address, the name, title and signature of the person submitting the bid. When submitting a bid package to Thomas County, the first page of your bid package should be the Bid Form listing price, delivery, etc. unless the bid form is requested to be in a separate sealed envelope.
- 5. No bids received after said time or at any place other than the time and place stated in the notice will be considered.
- 6. Thomas County may reject any and all bids, and must reject a bid of any party who has been delinquent or unfaithful in any formal contract with Thomas County. Also, the right is reserved to waive any irregularities or informalities in any bid in the bidding procedure. Thomas County will be the sole judge as to which bid is best, and in ascertaining this, will take into consideration the business integrity, financial resources, facilities for performing the work, and experience in similar operation of the various bidders.
- 7. Telephone bids will not be accepted unless stated in invitation.
- 8. No sales tax will be charged on any orders. Thomas County is exempt as outlined by Georgia State Law. 58-6000893
- 9. Bidders will state delivery time after receiving purchase order.
- 10. Unless otherwise stated, all bids submitted will be valid and may not be withdrawn for a period of 90 days from the due date of the bid.
- 11. Results of the bid will be e-mailed to the bidders after the award. Results of the bids are not available orally.
- 12. All responses must be submitted on the provided bid format. Exception from this format will not be accepted. Any offeror who believes that the bid format is unclear shall submit all questions upon receipt in writing.

Thomas County Board of Commissioners 2025 Tool Bid

Conditions:

- 1. At the discretion of the Thomas County Board of Commissioners, bids are awarded in whole or in part. Factors considered are price, payment discounts, and offeror's history of delivery.
- 2. When alternate brand/model is proposed, a sample may be required by the Department Manager to assure quality standard. Any alternates must be listed on a separate sheet by number with description. Substitutions maybe considered after the award only if notified in advance and approved by the department manager. If a supplier is unable to fill an order as submitted, the warehouseman will be contacted before delivery.
- 3. Thomas County reserves the right to return any product that it deems not sufficient quality to perform the work required.
- 4. Backorder policy: The offeror is required to notify the warehouseman within 24 hours of receipt of order when an item is backordered or not in stock. When an order cannot be filled within 30 days from the of date order, the item award will be given to the next lowest offeror.
- 5. **FOB destinations**: User departments; Public Works Warehouse, 78 Joiner Road, and Fleet Services Department, 360 County Farm Road.
- 6. Prices quoted will be valid for the 2025 calendar year.

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
			Tab socket, #2 size, 9 1/2" x 12",		
			industrial gauge opens back blade,		
	=	Razor-	FTS, 2 rivet, 11"-tab socket, 48"		
1.	Flat Shovel	Back	handle	44-124	
			Tab socket, #2 size, 9 ½" x 12",		
			industrial gauge, open back blade,		
		Razor-	FTS, 2 rivet, 11"-tab socket, 48"		
2.	Round Point Shovel	Back	handle	45-520	
	Repair Handle, Flat & Round				
3.	Shovel	Railway	48" Railway Handle	393-F	
			Braced 18" industrial/contractor, 1		
			1/16" x 16", 6" polypropylene fiber		
			bristle, 1 1/8" 60" handle with spanner		
4.	Street Broom		brace connecting to block		
5.	Repair Handle, Push Broom	Union	60" handle w/ Metal threaded tip end	60-F	
		Economy		WAREHO	
6.	Stick Broom	Warehouse	Black handle, heavy duty straw bristle	USE	
7.	Hand Wisk Broom	Various			
		Madison	Eye No. 2, Size 1" x 1 3/8", Face 2		
8.	10 Lb. Double Face Sledge	Mill	1/2", 32" hickory handle	910S	
		Madison	Eye No. 2, Size 1" x 1 3/8", Face 2		
9.	16 Lb. Double Face Sledge	Mill	7/8", 34" hickory handle	916S	
	Repair Handle, 10,12,16, Lb.				
10.	Double Face Sledge	Various	36" hickory handle (Larger Head)		

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
			10" round welded tines, 16" long, 1 1/2"		
			apart, 14 3/4" head width, 30" handle		
11.	Ensilage Dh Fork	Union	with Big D-Grip	76-125U	
12.	Fork Handle	Railway	34" handle with PP Big Grip	86F	
			Spring brace lawn rake, straight steel		
			head with coil spring brace, 24 tines,		
13.	Leaf Rake	Disston	54" handle	DIS24B	
14.	Repair Handle, Leaf Rake		54" handle	54TS	
			Bow head, 14 teeth, 17" x 3 1/4", one		
		Razorback	piece forged, 1/4" stick, steel head		
45		(No	nailed to handle, steel ferrule, 66"		
15.	Bow Head Rake	Exception)	handle	63-141	
40	Repair Handle, Bow Head	Delle	66" handle, heavy duty (Replacement	2005	
16.	Rake	Railway	Handle for (63-141)	236F	
47	Condon Hon	Razor-	Forged, socket pattern, 6 1/4" x 4 3/4"	74 44011	
17.	Garden Hoe	Back	beveled blade, 60" handle	71-112U	
18.	Repair Handle, Garden Hoe	Railway	60" handle	236F	
		Razorback			
19.	Scraper, Sidewalk	(No	54" Straight Handla	78202	
13.	Scraper, Sidewalk	Exception) Madison	Straight Handle No. 30, high carbon steel, hoe size 3	70202	
20.	Grub Hoe	Mill	1/2"	M938	
21.	Repair Handle, Grub Hoe	Railway	No. 8 eye, 36" hickory handle	GH	
21.	Trepair Flandie, Ordb Floe	Italiway	Slip-on type handle, high carbon	GH	
		Madison	steel, No. 6 eye, Weight - 5 lb., length		
22.	Pick Mattock (Head Only)	Mill	19", blade 8" x 3 ½", point 8"	M934	
23.	Repair Handle, Pick Mattock		36", No. 6 eye, premium grade	RRP	
	, , , , , , , , , , , , , , , , , , , ,	Razor-	4 sharp curved tines, 5" full width, 1	7.1.0	
24.	4 Prong Cultivator	Back	piece forged, 54" handle	75-144U	
	Repair Handle, 4 Prong	Razor-			
25.	Cultivator	Back	54" handle	236F	
26.	Post Hole Digger	Seymour	5" X 9" blade, heavy soil, 48" handle	DG100	
	Repair Handle, Posthole				
27.	Digger	Railway	48" handle	663F	
		Madison	10" x 10" cast iron head, 43" ash		
28.	Tamper	Mill	handle	MM1022	
		Madison	43" ash handle (Replacement Handle		
29.	Repair Handle, Tamper	Mill	for MM1022)	1069	
30.	3/8" System 4, Chain	Campbell	Self-coloring - Hi-Test grade chain	HT38P	
31.	3/8" System 7, Chain	Campbell	Transport grade chain	TR138FT	
			1/2" & 5/8" chain size, take up 8",		
22	Patchet Type Load Binder	Lobus	weight 11.2 lb., working load limit –	D.4	
32.	Ratchet Type Load Binder	Lebus	13,000 lb.	RA	
	Lever Type Standard Load		1/2" & 5/8" chain size, take up 8", weight 11.2 lb., working load limit –		
33.	Lever Type, Standard Load Binder	Lebus	13,000 lb.	۸1	
33.	Diridei	Lebus	4 3/4" X 16" blade, forward turned	A1	
			step, 9" socket, 27" D-handle with PP		
34.	Open Back Drain Spade	Union	Big-Grip D-handle	47-108U	
35.	Repair Handle, Drain Spade	Railway	27" handle	489F	
- 55.	Tropan Flandic, Drain Opade	. tunway	3 lb. head weight, 4 3/4" stock length,	4001	
		Madison	ground, chamfered face, 14" hickory		
36.	Engineer Hammer	Mill	handle	P03S	
		1		. 500	

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
			4 lb. head weight, 5 1/2" stock length,		
		Madison	ground, chamfered face, 16" hickory		
37.	Engineer Hammer	Mill	handle	904S	
	Repair Handle, 3 Lb.& 4LB.	Madison			
38.	Engineer Hammer	Mill	No. 2 eye, 14" hickory handle	M1051	
39.	Brush, Wash	DQB Ind.	All Purpose 10" Natural Fiber	11751	
			For fine finish on newly-poured		
40	B 1 0		concrete, black polystyrene bristles		
40.	Brush, Concrete		Trim 2 1/4" (Threaded handle hole)	4526	
44	Water Cooler,	1-1	Replacement Spigot for all Igloo	10500	
41.	(Spigot)	Igloo	Coolers	19590	
40	Water Cooler, Bail Type	lala:a	2 Gallon, industrial plastic cooler 400	1404	
42.	Handle	Igloo	series, color: yellow/white	1421	
43.	Water Casler Side Handle	Iglac	5 Gallon, industrial plastic cooler, 400	1454	
43.	Water Cooler, Side Handle	Igloo	series, color: yellow/white	I451	
44.	Water Cooler Side Handle	Igloo	10 Gallon, industrial plastic cooler,	14101	
74.	Water Cooler, Side Handle	Igloo Nicholson	400 series, color: yellow/white	I4101	
		(No			
45.	Flat File	Exception)	12" mill bastard	MB12	
46.	Round File	Nicholson	8" x 5/32"	CH532	
47.	Round File	Nicholson	8" X 3/16"	CH316SM	
48.	Round File	Nicholson	8" X 7/32"	CH732SM	
49.	No. 3 Padlock	Master	Keyed alike	ML3KA	***************************************
50.	No. 3 Padlock	Master	Keyed alike / Longshank	ML3KAH	
00.	Tto: o r dalook	Widotol	111 pieces per 100 lbs., working load	WILDTOAT	
51.	3/8" Clevis Slip Hook	Dixie	limit 5,400 lbs.	CSH38	
			96 pieces per 100 lbs., working load	001100	
52.	3/8" Clevis Grab Hook	Dixie	limit 5,400 lbs.	CGH38	
53.	Compressed Air Sprayer	Gilmour	2 Gallon poly tank	201P	
			Carbide tipped, 20 tooth, Max. RPM		
54.	7 1/4" Circular Saw Blade	Prime Mark	8,300 for framing and ripping	71995P	
		Sait	14" x 1/8" x 1", Max operating speed		
		(No	4,400 RPM, for masonry, concrete,		
55.	14" Cut-Off Wheel	Exception)	asphalt	23462	
		Sait	14" x 1/8" x 20mm", Max operating		
		(No	speed 4,400 RPM, for masonry,		
56.	14" Cut-Off Wheel	Exception)	concrete, asphalt	23464	
			14" x .125 x 1/20mm General		
			purpose/medium purpose for	EH-8	×
57.	14" Diamond Cut- Off Blade	Husqvarna	concrete & asphalt/ WET/DRY	EXTRM	
	D	Sait	7" x 1/4" 8500 Max RPM- Threaded		
50	Depressed Center Wire	(No	type for right angle grinders (Ferrous		
58.	Wheel, Grinding	Exception)	Metals & Steel)	A24N-BF	
	7 1/4" Grinding Rock Wheel	Sait	6" grinding wheel with 5/0" but		
59.	- wheel fits 7 1/4" grinder (Ceramic)	(No Exception)	6" grinding wheel with 5/8" hub cup wheel for concrete	26021	
J J .	(Ceramic)	Exception)	6 1/4" Single Row .25 wire 5/8" Thread		
			type 6600 rpm/steel hub for right		
60.	Knotted Cup Brush, Wire		angle grinder		
00.	Tabled Oup Blush, Wile	Sait	angle grinder		
		(No			
61.	Bushing, Plastic	Exception)	1" – 20MM	95031S	
<u> </u>	Dadring, Fladio	-Accetion)	1 ZUIVIIVI	330313	

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
			Yellow / Barricade Tape (3" W x	BZ1-	
62.	Tape, Caution	Various	1000'L)	30019	
		(No			
63.	Tape, Gorilla	Exception)	1.88 x 35 yard roll	6035120	
64.	Swivel Vise	Wilton	4 ½"	11126W	
65.	Scoop	Union	Aluminum D handle	53-101U	
66.	Hasp	Various	6" Door Hinge / Swivel Type		
67.	Gloves (Welding)		Split Leather HD 13 "	7015A	
68.	Tying String – Cotton	Various	#16, 2 lb. Cone, roll		
69.	Tying Twine – Nylon	Beacon	# 18 - 1/2 Lb 525Ft	NT1812	
70.	Reel - Chalk Line	Irwin	100'		
	Chalk-line chalk	Straight-	Red, blue 8 oz. Bottle		
71.		Line			
72.	Square, Speed	Swanson	Die Cast Aluminum alloy	S0101	
73.	Square, Combination	Stanley	12"		
74.	Concrete Spred-Krete/Hook	Marshalltown	4" X 20" blade, 55" handle	M826	
75.	Metal Safety Gas Can	Eagle	5 GALLON	U1-50S	
76.	Metal Safety Gas Can	Eagle	2 Gallon	U1-20S	
	Funnel, Metal Safety Gas		Funnel for 2 & 5-Gallon Metal Safety	UB1-	
77.	Can	Various	Can	18218	
78.	Measuring Tape, 25'	Stanley	1" x 25'		
		Lufkin			
		(No			
79.	Measuring Tape, 50'	Exception)	Open/ Hand Reeled 50'	FE050	
		Lufkin			
		(No			
80.	Measuring Tape, 100'	Exception)	Open Reel (1/2" x 100') Fiberglass	FE100	
		Rolatape			
		(No			
81.	Measuring Wheel	Exception)	Measuring Wheel w/ Counter (Feet)	MM400	
82.	Plier, Vise-Grip Crvd	Vise-Grip	10"	10WR	
83.	Plier, Vise-Grip Crvd	Vise-Grip	7"	7WR	1 2 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1
84.	C-Clamp, Vise Grip	Vise Grip	11"	11R	
85.	Wrench, Adjustable Crescent	Jet	12"	220712	
86.	Wrench, Pipe Heavy Duty	Rigid	14"	31020R	
			1" x 10' / 700lb. Load Limit (Mini Hand		
87.	Tie Down, Quick Release	Pro Grip	Ratchet)		
88.	Ratchet Strap	Various	2" x 27' 3300lb. Load Limit		
89.	Ratchet Strap	Various	3" x 30'		
90.	Ratchet Strap	Various	4" x 30'		
			25" Florescent Orange on Wood		
91.	Safety Flags	Various	Dowel / 13 oz. Vinyl / Mesh		
	, , ,		21" Yellow / White (1,000 Flags per		
92.	Staff Flags (Wire)	Various	Box)		
93.	Strap, Tie Down	Gold Line	Rubber 15" w/ Hooks - HD	S15	
94.	Strap, Tie Down	Gold Line	Rubber 21" w/ Hooks - HD	S21	
95.	Strap, Tie Down	Gold Line	Rubber 31" w/ Hooks - HD	S31	
		VARIOUS			
		(No			
96.	Glass Cleaner, Spray Can	Exception)	19 oz. with Ammonia		
97.	Ratchet (Quick Release)	Ace	3/8"		
98.	Ratchet (Quick Release)	Ace	1/2"	23630	
	Pull Handle, Flex Handle	Ace	1/2"	21279	
99.	Full Hallule, Flex Hallule				

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
		Plews	Lever Action, Three-way loading,		
101.	Gun Grease, Variable Stroke	LubriMatic	bulk, cartridge or suction	30-480	
102.	Gun Grease, Flex Hose	Various	18"	L10218	
	Gloves, Prem. Leather Palm		12pk. (Heavy-Duty) Industrial Work		
103.	XL Size	Various	gloves		
104.	Hat Hard Safety, White		Full Brim w/ Ratchet	E1RWWE	
	Plastic Roof Cement (Black				
105.	Jack)	Ace	1 Gallon		
			2' - One piece extruded aluminum		
			frame, Open Grip, Top Reading Level		
106.	Level, Construction	Starrett	Sites	S- 24	
			4' - One piece extruded aluminum		
			frame, Open Grip, Top Reading Level		
107.	Level, Construction	Starrett	Sites	S- 48	
		Wright			
108.	Masonry Brush	Bernett	5 Row Poly / 6 1/2" Red Handle	4620	
		Lacrosse	-		
109.	Rubber Boots, Plain Toe	or Ongaurd	Sizes from 8 to 14	87401	
	Raincoat, PVC Trench coat				
110.	w/ Hood	DuraWear	Various Sizes from Large to 4XL	1225	
111.	Safety Glasses	Outlook	Clear Lens	486B80	
112.	Safety Glasses,	Starlite	Gray Lens	4680	
113.	Rope, Nylon		Premium Double Braid, 5/8" x 300'	05982	
114.	Rope, Manilla		1" x 600' (4860 Strength Lbs.)	4212	
115.	Toolbox, HD	Various	19" w / Tray		
			10 1/2" Corrugated hammerhead, two	1936-	
116.	Fence Tool, Heavy Duty	Crescent	wire cutters, two staple grips in nose	10CV	
117.	Shackle, Anchor	Crosby	1" Screw Pin	SP1	
	,	ACE			
		(Pro			
118.	Wrench, Open/Box	Series)	7/16"		
	, ,	ACE			
		(Pro			
119.	Wrench, Open/Box	Series)	1/2"		
		ACE			
		(Pro			
120.	Wrench, Open/Box	Series)	9/16"		
121.	Ratchet Wrench Box	Kastar	3/4" x 7/8"	RB2428	
	14 PC. Combination Wrench		(3/8"to1-1/4") Open-Box End		
122.	Set	Various	(Wrench Set, No Exception for sizes)		
	14 Piece - 1/2" Drive Socket				
123.	Set	Wright	3/8" to 1 1/4" – w/ 1/2" Ratchet	407W	
	27 piece - 3/8" Drive Socket	Wright or			
124.	Set	Crescent	Standard and Deep mm	CSW59	
		Quick		2002 NO 12 E T T	
125.	Cutter, Box	Blade	w/ 5 Refill Blades		
			24" For use in cutting numerous		
126.	Cutters, Bolt	H.K. Porter	medium/ hard metals		
			36" For use in cutting numerous		
127.	Cutters, Bolt	H.K. Porter	medium/ hard metals		
		H.K. Porter	The same of the same		
		(No	48" For use in cutting numerous		
128.	Cutters, Bolt	Exception)	medium/ hard metals	CSW	
129.	Pliers, Diagonal Cut	Klien	8" w/ Rubber Grips	KD2288	
120.	Diagonal Oat	TAILOTT	o w Kubboi Olipa	NUZZOO	

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
		Channel			
130.	Pliers, Channel Lock	Lock	9 ½" w/ Rubber Grips	420	
131.	Snips, Tin	Wiss	Straight Cut w/ Yellow Grips	M3R	
132.	Snap, Boat	Various	Brass, #1, Swivel 3191BC	223-289	
133.	Pliers, Linesman	Ace	8" w/ Rubber Grips	2004125	
134.	Tape, Duct	Various	2" x 60' (Gray)		
135.	Tape, Electrical	Various	Black, Roll		
136.	Flashlight, Incandescent	Mag-Lite (No Exception)	3-D Cell – Black Anodized Aluminum	S3D036	
137.	Mask, Comfort	Ace	Disposable - For Indoor and Outdoor use (25 Mask Box)	25872	
138.	Hammer, Claw	Plumb	20 oz. Fiberglass		
139.	Hammer, Claw	Various	Regular Wood Handle Hammer		
140.	Hammer, Chipping	Various	10 ½ "Head		-
141.	Fiberglass Hammer	Plumb	16 oz.	P11406	
142.	Screwdriver, Flat	Ace	1/4" Slot x 4"	20551	
143.	Screwdriver, Phillips	Ace	1/4" x 4"	20556	
144.	Tarpaulin, Heavy Duty	Ace	10' x 20'(10 Mil) Poly	2000	
145.	Tarpaulin, Canvas	Various	12' x 20' - 10 oz. Heavy Duty (Filled Cotton Duck)		
146.	Ring, Key	Lucky Line	Split 1 1/8	54777	
147.	Tag, Key Round	Lucky Line	Brass 1 3/8	58966	
148.	Ear Plug, Foam	E-A-R	Yellow Disposable Ear Plugs 200per Box	3101001	
149.	Cord, Extension	Various	25' 14/3 Grade - General Purpose	-	
150.	Cord, Extension	Various	50' 14/3 Grade - General Purpose		
151.	Nozzle, Water	Gilmour	Pistol type	573TF	
152.	Hose, Contractor	Various	3/4" x 50' / Black		
153.	Mailbox, Rural	Tielite	Black	5266176	
154.	Mailbox, Rural	Tielite	White	5266168	
155.	Paint, Marking Invertor	Seymour	Florescent Orange - 18 oz. Cans	R203036	
156.	Paint, Marking Invertor	Seymour	White - 18 oz. Cans	20352	
157.	Wand, Marking Invertor Paint	Rust-oleum	Easy pull rubber coated trigger, high impact can holder with detachable wheel	2393000	
158.	Paint, Gloss Green	Rust-oleum	10 oz.		
159.	Paint, Gloss Brown	Rust-oleum	10 oz.		
160.	Paint, Gloss White	Rust-oleum	10 oz		
161.	Paint, Gloss Black	Rust-oleum	15 oz.		
162.	Paint, Gloss Red	Rust-oleum	15 oz.		4
400	Cleaner, Hand Fine Italian	0010		4455	
163.	Pumice	GOJO	14oz.	1132	
164.	Wasp/ Hornet Spray	Enforcer	16 oz.		
165.	Spray Lubricant	WD-40	8 oz.		
166.	Insect Repellant	Off	7 oz.		
167.	Tape, Flagging Surveyors	Various	Fluorescent Pink (Box of 12) 150' Roll		
168.	Safety Vest	Various	Orange with florescent stripe Sizes Larger to 3XL		
169.	Tape, Flagging Surveyors	Various	White (Box of 12) 150' Roll		
170.	Wire Brush	Weile	12" Wire Handle Brush	44054	
171.	Pencil, Carpenter	Various	Natural Finish Wood, Flat, Medium Black Lead		

Item No.	Item	Brand	Description Of Item	Model #	Bid Price
1101111101	Itom	Diana	½" x 5" No. 1 White Marking Type	WOUGH #	Did i lice
172.	Stone Soap	Various	(100 per Box)		
173.	Pail Polyethylene	Various	(5 Gallon Bucket w/ Plastic Handgrip)		A
174.	Glue Super	Krazy	All Purpose, (.07 Tube Type)		
175.	6 Volt - Battery	Rayovac	Lantern Type (Heavy Duty Battery)		
176.	Rags, Scrap	Various	White Cotton Fleece - 50 LB. (Box)		
177.	Markers, Crayon Lumber	Dixon	Yellow - Construction Type		
178.	Markers, Crayon Lumber	Dixon	Red - Construction Type		
179.	Markers, Crayon Lumber	Dixon	Blue - Construction Type		
180.	Hose, Oxygen -Acetylene	Anchor	50" ¼" Industrial Twin Welding Hose	LB504	
100.	2" X 9 Fluted Shank	Anchor	30 /4 Industrial Fwiri Weiding Hose	LB304	
181.	Tempered Masonry Nail		50 lb. carton		
101.	2 ½" X 9 Fluted Shank	-	30 lb. carton		
182.	Tempered Masonry Nail		50 lb. carton		
102.	No. 8 x 3/8"		30 lb. carton		
183.	Bright Common Spikes		50 lb. carton		
184.	1" X 9 Shank Fence Staples	-	50 lb. carton		
104.	3/4" Roofing Nail, Galv.		30 lb. carton		
185.	Smooth Shank		50 lb. carton	Roof34	
186.	1" Plastic Cap Roofing Nail	Grip Rite	3,000 Container	100134	
187.	36" Silt Fence	Various	36 x 100' - 11- stake		
188.	First Aid Kit – 25 person	Various	30 x 100 - 11- stake		
189.	Insect killer – flying/crawling	Various	16 oz. can		
109.	Chain saw chaps – orange –	various	10 02. Call		
	1,000 denier nylon outer				
190.	shell, XL length		Pair		
130.	Pick-up tongs – 42"	King Tongs			
	professional, grade heavy	King rongs	Lacii		
	duty, stainless steel and				
191.	aluminum				
	Gatorade – powdered – 21				
192.	oz packs – all flavors	Gatorade	Case (32 ea. – 21 oz packages)		
193.	Utility, Razor Blades HD	Various			
194.	Gloves, Cotton		12 pk.	-	
195.	Sawzall Blades 6" wooden		72 511		
196.	6" Bi-Metal Sawzall Blade				
197.	8" Bi-Metal Sawzall Blade				
198.	12" Bi-Metal Sawzall Blade				
199.	PTFE Thread Seal Tape		½" x 260"		
200.	PTFE Thread Seal Tape		3/4" x 260"		
201.	Cups, Cone 4 oz.				
202.	Gloves, Chemical				
	Exterior screws 2-1/2" x 9"				
203.	Exterior screws 3" x 9"	***			
	Grade leveling rod,				
204.	feet/10ths (25') rectangular				
	Grade leveling rod,		-	-	
205.	feet/10ths (25') oval				
206.	PVC medium blue cement				
207.	Chainsaw bar oil – gallon			-	
208.	LED Head lamp	various	Head lamp LED flashlight		
209.	Tape, Painters		1"		
210.	Tape, Painters		2"		
211.	Paint Mixer		5 Gallon Spiral Paint Mixer		
		1		L	L

Item No.	Item	Brand	Description Of Item Mod		Bid Price
212.	Band-Aids		1" x 3"		
213.	Weed Eater String Roll		Heavy duty		
214.	Sthil, 2 Cycle Oil	Sthil	2.6 fl. Oz. (1 Gal. Treatment)		
215.	2 Stroke, premixed fuel		Pre mixed chainsaw engine fuel		
216.	Fiberglass probe rods		Utility, soil probe rod		
217.	20v battery	DeWalt	5 AH Batteries, 20v		
218.	20v battery	DeWalt	6 AH Batteries, 20v		

It is agreed by the undersigned bidder that the signature and submission of this bid represent the bidder's acceptance of all terms, conditions and requirements of bid specifications and, if awarded, the bid will represent the agreement between the parties.

Delivery time after order is received:			
Company Name:	7		
Address:		City/State/Zip:	
Contact Person:		Title:	
Telephone Number:	Fax Number: _	E	Mail:
Signature of Authorized Representative: _		(Sign manually, in ink	· · · · · · · · · · · · · · · · · · ·
Name Printed:	Titl	e:	Date:

Form **W-9** (Rev. January 2011)

(Rev. January 2011)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

- THEITIG	neralize Service							
	Name (as shown on your income tax return)							
ige 2.	Business name/disregarded entity name, if different from above							
g	Check appropriate box for federal tax		T					
ns on	classification (required): Individual/sole proprietor C Corporation S Corporation Partnership Trust/estate							
Print or type Specific Instructions on page	Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partne	rship) ►	Exempt payee					
들드	☐ Other (see instructions) ▶							
_ ≅	Address (number, street, and apt. or suite no.)	Deguarter's same and address to	nilean)					
Address (number, street, and apt. or suite no.) Requester's name and address (optional								
See S	City, state, and ZIP code							
Ī	List account number(s) here (optional)	L	· · · · · · · · · · · · · · · · · · ·					
Par								
Enter y	our TIN in the appropriate box. The TIN provided must match the name given on the "Name	" line Social security number						
to avoi	d backup withholding. For individuals, this is your social security number (SSN). However, for	ra TTTTT						
resider	nt alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other	' -	1-1 1 1 1					
TIN on	s, it is your employer identification number (ÉIN). If you do not have a number, see <i>How to ge</i> page 3.	ta LLL						
	f the account is in more than one name, see the chart on page 4 for guidelines on whose	Employer identification	number					
numbe	r to enter.		11111					
		-						
Part	Certification							
make of statements	penalties of perjury, I certify that:							
	number shown on this form is my correct taxpayer identification number (or I am waiting for	a number to be issued to mal	and					
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and								
	a U.S. citizen or other U.S. person (defined below).							
Certific	cation instructions. You must cross out item 2 above if you have been notified by the IRS the	nat you are currently subject to	backup withholding					
because you have falled to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortages								
generai	paid, acquisition or abandonment of secured property, cancellation of debt, contributions to ly, payments other than interest and dividends, you are not required to sign the certification, ions on page 4.	o an individual retirement arran but you must provide your cor	gement (IRA), and rect TIN. See the					
Sign	Signature of							
Here	110	ite ►						

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
 - 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien.
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.